

# SPECIFICATION

Electronic Version 1.2.8

Stylesheet Version 1.0

## **METHOD AND SYSTEM TO REMOTELY GRANT LIMITED ACCESS TO SOFTWARE OPTIONS RESIDENT ON A DEVICE**

### Background of Invention

- 09581430-041301
- [0001] The present invention relates generally to a system to enable software-based options, and more particularly, to remotely grant limited access to software options resident on a device.
- [0002] Medical diagnostic devices and supporting systems, such as medical imaging systems, have become increasingly complex in recent years. Examples of such systems include magnetic resonance imaging (MRI) systems, computed tomography (CT) systems, ultrasound and x-ray systems, and positron emission tomography (PET) systems. These systems include many different software-based options, some of which are not used depending on customer needs and costs. To add to the complexity of each particular imaging system, many facilities today incorporate a variety of such devices all of which may not be configured identically. In larger facilities, the systems may be networked to permit common management and control. Further, such systems may be networked with a picture archiving and communication system (PACS) for storing digitized image data for subsequent retrieval and reconstruction. Additionally, teleradiology systems that involve transmitting digitized image data to remote locations for review and diagnosis by specialized physicians and/or radiologists may be used as well.
- [0003] Because these medical diagnostic systems are used by different facilities with

differing needs, not all of these systems operate identically. That is, although identical software may be installed at the factory, certain options are not desired or licensed by a customer or user, and therefore are not enabled when delivered. If a customer later wants to add these options to their devices, a license would need to be executed and service personnel with appropriate training would have to physically travel to the location where the devices are present to enable the software in order for the customer to gain access to a particular option.

[0004] Improvements in computer networks have greatly facilitated the task of offering assistance to remote facilities with medical imaging devices. In particular, rather than having to call a service center and speak with a technician or engineer, or await a return call from the service center, network technologies have facilitated proactive techniques wherein the service center may contact the medical diagnostic devices directly to check the status of the remote devices. Further advancements have been proposed to provide remote service to medical diagnostic systems in an effort to provide a level of service on a continual and interactive basis as needed by many facilities. In one such system, a service center can interactively receive messages via a network and can respond automatically to the messages if configured correctly. Data required to analyze the state of operation of the medical diagnostic devices can be transferred during an electronic connection. This technique greatly facilitates identification of system problems, allows questions to be posed to the subscribing service provider, facilitates transfer of updates and imaging protocols, and permits standard and customized reports to be transmitted to subscribing systems or stations. The interactive aspect of this technique allows the medical diagnostic facility to remain current on services provided by the centralized service facility and to readily communicate with the centralized service facility.

[0005] While such advancements in the provision of remote services to medical diagnostic devices have greatly enhanced the level of service and information exchange, they have not been used to remotely grant access and permit use of software options resident on such devices.

[0006] There is a need for a system where a qualified customer would have the ability to

access a particular option already resident in memory of a device consistent with a customer's specific usage patterns. For example, in order to limit personnel costs and improve efficiency, many health care facilities schedule medical procedures, including medical imaging procedures, in a time block. However, health care facilities would traditionally purchase twenty-four hour access to an option and then only use the option for a portion of that twenty-four hours. As a result, the capabilities of a particular device are not optimally utilized.

- [0007] It would therefore be desirable to permit access to optional, device capabilities on a pay-per-use or limited access basis, such that the device capabilities are available to a user on an as-needed basis. It would be further desirable to provide a warning of impending access expiration so that a renewing access request may be submitted and approved before expiration if desired, or if not requested, appropriate notice can be provided detailing that the option will no longer be available.

## Summary of Invention

- [0008] The present invention is directed to a system and method to remotely permit use of resident software options overcoming the aforementioned concerns.

- [0009] The present invention includes a technique that includes hardware and software to identify a customer and, if desirable, license, permit access to, and enable options in remotely installed devices. Such a system includes a customer station that is distant from a centralized facility and has at least one software option that is controlled by a computer. A communications network connects the centralized facility to the customer station such that the centralized facility is capable of receiving and authenticating a customer identification, validating an access request, and creating an electronic enabler in response to the access request. The communications network relays data from the centralized facility to the customer station and includes a communications portion in the centralized facility and in the customer station. The communications network connects the centralized facility to the customer station through an external communications network, such as the Internet, direct dial-up links, or a wireless platform. Once an electronic enabler is generated by the centralized facility, the centralized facility transmits the electronic enabler through the



[0013] Various other features, objects and advantages of the present invention will be made apparent from the following detailed description and the drawings.

## Brief Description of Drawings

[0014] The drawings illustrate a preferred embodiment as presently contemplated for carrying out the invention.

[0015] In the drawings:

[0016] Fig. 1 is a block diagram of a system for which the present invention is implemented therein.

[0017] Fig. 2 is a flow chart showing a process of the present invention and implemented in the system of Fig. 1.

## Detailed Description

[0018] Referring to Fig. 1, an overview block diagram of a medical diagnostic and service networked system 10 is shown which includes a plurality of remote customer stations, such as Customer A referenced with numeral 12, and Customer B referenced with numeral 14. It is understood, that the number of customer stations can be limitless, but two specific embodiments are shown with Customer A and Customer B, which will be further explained hereinafter. The customer stations 12, 14 are connected to a centralized facility 16 through a communications link, such as a network of interconnected server nodes 18 or a remote link 20. Although a single centralized facility is shown and described, it is understood that the present invention contemplates the use of multiple centralized facilities, each capable of communication with each customer station. Each customer station has operational software associated therewith which can be configured, serviced, maintained, upgraded, monitored, enabled or disabled by the centralized facility 16.

[0019] The various systems disclosed are configured to be selectively linked to the centralized facility 16 by either the remote link 20, or in the example of customer station 12, a laptop computer 22 connected to an internal network 24 of Customer A. Such selective linking is desirable to provide upgrades, maintenance, service, and



systems, computed tomography (CT) systems, as well as positron emission tomography (PET) systems, or any other type of medical imaging system, however, the present invention is not so limited. Such facilities may also provide services to centralized medical diagnostic management systems, picture archiving and communications systems (PACS), teleradiology systems, etc. Such systems can be either stationary and located in a fixed place and available by a known network address, or be mobile having various network addresses. In the embodiment shown in Fig. 1, each customer station 12, 14 can include any combination of the aforementioned systems, or a customer station may have all of a single type of system. A customer station can also include a single medical image scanner. Mobile diagnostic systems can be configured similarly to that of customer station 12 or customer station 14. Such mobile diagnostic systems can include equipment of various modalities, such as MRI, CT, ultrasound, or x-ray systems and are mobilized in order to service patients at various medical facilities.

[0023]

A request for pay-per-use access and enablement of software-based options of the present invention can be initiated by authorized personnel, such as an on-line engineer or technician, or customer administrative personnel from a computer or workstation 42 in the remote link 20, which can be a part of the centralized facility 16, or be separately connected to the centralized facility 16 by a dialup link 44 to a web server 46 in the centralized facility 16. Alternatively, it is contemplated that the system could be initialized by a laptop computer 22 connected to a customer internal network 24, or individually connected to each of the scanners 30, 32, or 34. The remote link 20 can also serve to connect the centralized facility 16 to a customer station by a telephone and telephone connection 48 through a conventional telephone network 50 and to an interactive voice recognition system (IVR) 52 in the centralized facility 16. The centralized facility 16 includes a number of processing systems including computers for the IVR system 52, an automated support center 54, the web server 46, and an auto checkout server 56, for processing customer and product data and creating an appropriate configuration file. Other processor systems include computers to maintain a voicemail system 58, a pager system 60, an email system 62, and a main frame 64, and more generally, an output report generator and notifier.

Each is connectable and can transmit data through a network, such as an Ethernet 66 with one another, and/or with at least one database 68. However, it is understood that the single representation of a database in Fig. 1 is for demonstrative purposes only, and it is assumed that there is a need for multiple databases in such a system. It is also understood that the IVR system is not only a voice recognition system, but can also process interactive keypad entry from a touchtone telephone 48. A bank of modems 70 is connected to the Ethernet 66 to relay data from the centralized facility 16 to the remote customer stations 12, 14 through a plurality of modem links 72.

[0024] As previously discussed, each of the systems and substations described herein and referenced in Fig. 1 may be linked selectively to the centralized facility 16 via a network 18. According to the present invention, any acceptable network may be employed whether public, open, dedicated, private, or so forth. The communications links to the network may be of any acceptable type, including conventional telephone lines, fiber optics, cable modem links, digital subscriber lines, wireless data transfer systems, or the like. Each of the systems is provided with communications interface hardware and software of generally known design, permitting them to establish network links and exchange data with the centralized facility 16. The systems are provided with interactive software so as to configure the systems and exchange data between the customer stations and the centralized facility 16. In some cases, during periods when no data is exchanged between the customer stations and the centralized facility, the network connection can be terminated. In other cases, the network connection is maintained continuously.

[0025] The present invention includes a method and system for granting access to and remotely permitting use of resident software options in a device. As previously indicated, the device, including medical imaging equipment, includes installed software that controls options that are typically enabled or disabled manually by a field engineer on-site after processing of an access request from a qualified customer. The present invention is directed toward a method and system to remotely grant access to and enable these resident options for a pay-per-use period in accordance with terms provided in an access grant. The terms of the access grant may allow access to a resident option for any of a number of time periods and/or usage periods







specific software option on a particular device to avoid the possibility of unauthorized usage. A date/time stamp is embedded within the key and causes the software to expire according to the terms of the access grant. In an alternative embodiment, after generation of the electronic enabler 128, an agreement or license granting access to the device can be generated and sent to the customer that automatically terminates upon expiration of the access grant.

[0030] After download 130, the electronic enabler is stored in memory of the device 132 and upon activation the software program is enabled and the customer is granted access to the option requested. Preferably, the system automatically verifies the accessibility of the option and transmits an electronic verification message 134 from the centralized facility to the customer and/or the remote customer station.

[0032]

Accordingly, the present invention includes a method to remotely permit use of software options resident in memory of a device that includes receiving an access request from a user of a remotely located device for permission to access a software option that is resident in memory of the device. Preferably, the access request is received by sending the request via a communication interface to a centralized facility.

Upon determination that a set of criteria has been met for a particular request, an electronic enabler, or software key, is then generated and configured to permit limited access to the option in response to an access grant. Preferably, the electronic enabler permits access to software that is already installed in the device. Moreover, to provide increased security, the electronic enabler may be transmitted via a private communication interface from a centralized facility to the device. If desirable, however, a public communication interface can also be utilized. Ultimately, the method automatically enables customer access to the option in the device in response to reception of the electronic enabler.

[0033] Access to the option is realized according to a predetermined access grant or period which can be defined in terms of the number of uses of the option, a continuous use of the option for a limited time period, or a discontinuous use for a predetermined time duration. The method can include validating a customer identification and system identification at a centralized facility and upon validation, transmitting a message from the centralized facility to a qualified customer verifying receipt of the request. The method can additionally deny access to an option if a customer has failed to maintain a favorable or qualified customer status and can include granting a license for use of the software and/or the option, expressly or impliedly.

[0034] The invention includes an access granting system that includes a device having at least one disabled option resident on a computer programmed to control the device and a centralized facility located remotely from the device and having at least one access computer. The access computer is programmed to receive from a qualified or favorable customer, a request to access and use a disabled option in the device and grant access and use, on a pay-per-use basis, of the disabled option for a predetermined time period, which can be defined for each customer as needed.

[0035] The invention also includes a computer data signal embodied in a carrier wave and representing a sequence of instructions which, when executed by at least one processor, causes the processor to receive at a centralized facility an access request from a user to access an option resident in a remote device. The sequence of

09531430-041301

instructions also cause the processor to determine whether the end user is qualified, and if so, grant limited access to the option resident in the remote device. The processor further generates a software key designed to allow limited access to the option and send the software key to the device, wherein the software key enables limited user access to the option. Preferably, the electronic enabler is created with embedded terms that control the expiration period of the option. When the expiration period is reached, the option is automatically disabled. It is also contemplated that the present invention will be capable of generating multiple electronic enablers to different options on a particular device.

[0036] The present invention has been described in terms of the preferred embodiment, and it is recognized that equivalents, alternatives, and modifications, aside from those expressly stated, are possible and within the scope of the appending claims.

09681480-041301